





Compressed air
Druckluft

Ipart Code	Descriptions / Bezeichnungen	Brand / Hersteller	OEM Number / Vergleichsnummer
100160	CCoupling Head, with black lid Kupplungskopf, mit schwarzem Deckel Housing material: Cast iron Connecting Thread: M 22x1,5 Operating pressure to / Betriebsdruck bis [bar] : 8 Operating mode: Automatic DIN 1219	WABCO	452 201 010 0
		KNORR-BREMSE	188448
		HALDEX	334007001
		MERCEDES-BENZ	000 429 02 39
		NEOPLAN	000 429 99 30
			A000 429 02 39
			A000 429 99 30
		MAN	81.51220.6019
			81.51220.6020
			81.51220.6090
			82.51220.6010
			90.81012.0163
		IVECO	0112 1697
			0112 1698
			0251 9877
			251 9877
		DAF	0 560 760
		LEYLAND	560 760
			303 808
			325 774
		SCANIA	1 010 008
			2 090 250
		KÄSSBOHRER	8.283.056.000
		RVI	50 00 099 496
			50 00 121 713
			50 21 170 151
		SCHMITZ CARGOBULL	051 401
		BPW	0218240300
			0218240400
			0218241600
		VOLVO	1 568 341
			1 598 351
			330 302
			351 566
		JOHN DEERE	AL68573






Ipart Code	Descriptions / Bezeichnungen	Brand / Hersteller	OEM Number / Vergleichsnummer
100161	Coupling Head, with black lid Kupplungskopf, mit schwarzem Deckel Housing material: Cast iron Connecting Thread: M 22x1,5 Operating pressure to / Betriebsdruck bis [bar] : 8 Operating mode: Automatic DIN 1219	WABCO	452 300 031 0
		MERCEDES-BENZ	000 429 16 30
		EVOBUS	000 429 24 30
			000 429 29 30
			000 429 48 30
		MAN	81.51220.6002
		NEOPLAN	81.51220.6017
			81.51220.6044
			88.51220.6207
			90.8101.20151
			90.81012.0168
		IVECO	4200 8625
		DEUTZ	6157 8023
			0251 5052
			432 2997
		DAF	614 608
		LEYLAND	1 704 003
			135 240
			704 003
		SCANIA	124 799
			2 090 251
			222 554
		RVI	50 00 001 893
			50 00 468 241
			77 00 051 795
		SCHMITZ CARGOBULL	1060 763
		FORD	75HB2N070CA
		VOLVO	1 704 003
			70 307 440
			WAB4523000310
		VOLKSWAGEN	600 607 346
		JOHN DEERE	AL68573
		CASE IH	3 141447 R1



Ipart Code	Descriptions / Bezeichnungen	Brand / Hersteller	OEM Number / Vergleichsnummer	
100164	Coupling Head, with red lid Kupplungskopf, mit rotem Deckel Housing material: Cast aluminium Connecting Thread: M 16x1,5 Operating pressure to / Betriebsdruck bis [bar]:10 Operating mode: Manual Filter type: In-Line filter DIN/ISO 1219	WABCO	952 200 021 0	
		MERCEDES-BENZ	000 429 76 30	
		EVOBUS	000 429 77 30	
		MAN	81.51220.6049	
			81.51220.6072	
			81.51220.6075	
		DAF	1506435	
		IVECO	0011 0919	
			4103 5633	
		DAF	1506435	
		IVECO	0011 0919	
			4103 5633	
		RVI	50 00 095 034	
			50 00 498 351	
100165	Coupling Head, with yellow lid Kupplungskopf, mit gelbem Deckel Housing material: Cast aluminium Connecting Thread: M 16x1,5 Operating pressure to / Betriebsdruck bis [bar] : 8 Operating mode: Manual Filter type: In-Line filter DIN/ISO 1219	WABCO	952 200 022 0	
		MERCEDES-BENZ	000 429 38 30	
		EVOBUS	000 429 51 30	
			000 429 54 30	
			000 429 59 30	
			000 429 79 30	
		MAN	81.51220.6038	
		NEOPLAN	81.51220.6040	
			81.51220.6043	
			81.51220.6047	
		DAF	1 506 436	
			1 642 263	
		IVECO	0237 9560	
			0251 6345	
		RVI	50 00 608 011	
			50 00 608 012	
		SCANIA	1 112 486	
			1 912 280	
		VOLVO	1 568 341	
			25 572 608	
		VOLKSWAGEN	600 607 343	
			600 607 343A	

Ipart Code	Descriptions / Bezeichnungen	Brand / Hersteller	OEM Number / Vergleichsnummer	
100166	Coupling Head, with red lid Kupplungskopf, mit rotem Deckel Housing material: Cast aluminium Connecting Thread: M 22x1,5 Operating pressure to / Betriebsdruck bis [bar]:8 Operating mode: Manual DIN/ISO 1219	WABCO	452 200 011 0	
		MERCEDES-BENZ	828 370 20 00	
		DAF	0 109 912	
		MAN	88.51220.6003	
		NEOPLAN		
		EVOBUS	8.283.702.000	
		KÄSSBOHRER		
		FORD	75DB2N070AA 75DB2N070AA	
		IVECO	0251 9879	
		SCANIA	1 912 319	
100167	Coupling Head, with yellow lid Kupplungskopf, mit gelbem Deckel Housing material: Cast aluminium Connecting Thread: M 22x1,5 Operating pressure to / Betriebsdruck bis [bar] : 8 Operating mode: Manual DIN/ISO 1219	WABCO	452 200 012 0	
		MERCEDES-BENZ	000 429 34 30	
		MAN	81.51220.6033	
		DAF	0 109 913 651 235 109 913	
		FORD	72DB2N070CA 72DB2N070EA 74DB2N070BA	
		IVECO	7100 5013	
		SCANIA	1 912 320	
		VOLVO	WA4522000120	

Ipart Code	Descriptions / Bezeichnungen	Brand / Hersteller	OEM Number / Vergleichsnummer	
100168	Coupling Head, with red lid Kupplungskopf, mit rotem Deckel Housing material: Cast aluminium Connecting Thread: M 22x1,5 Operating pressure to / Betriebsdruck bis [bar]:8 Operating mode: Automatic DIN/ISO 1219	WABCO	452 200 211 0	
		MERCEDES-BENZ	000 429 35 30	
		MAN	81.51220.6024	
		NEOPLAN	34.51220.6000 1505064	
		DAF	109 915 1 427 369	
		FORD	74HB2N070AA 75NB2N070B1A	
		IVECO	0468 0365 251 5298 150 5064 6013 5766	
		RVI	50 00 440 154	
		SCANIA	2 090 249	
		VOLVO	1 505 064 WA4522002110	
100169	Coupling Head, with yellow lid Kupplungskopf, mit gelbem Deckel Housing material: Cast aluminium Connecting Thread: M 22x1,5 Operating pressure to / Betriebsdruck bis [bar]:8 Operating mode: Automatic DIN/ISO 1219	WABCO	452 200 212 0	
		MERCEDES-BENZ	000 429 36 30	
		MAN	81.51220.6025	
		DAF	0 109 916 1 427 368	
		FORD	74HB2N070BA 75NB2N070C1A	
		IVECO	0468 0366 6157 8000 6257 8000	
		RVI	50 00 440 155	
		SCANIA	1 934 821	
		VOLVO	1 505 065 WA4522002120	

Ipart Code	Descriptions / Bezeichnungen	Brand / Hersteller	OEM Number / Vergleichsnummer	
100170	Coupling Head, with red lid Kupplungskopf, mit rotem Deckel Housing material: Cast aluminium Connecting Thread: M 16x1,5 Operating mode: Manual Filter type: In-Line filter DIN/ISO 1219	WABCO	952 201 002 0	
		MAN	81.99806.2076	
		DAF	1 518 207	
		SCANIA	1 788 946	
		KÄSSBOHRER	21151103102	
		SCHMITZ CARGOBULL	051 424 055 593	
		KRONE	505820328	
		KÄSSBOHRER		
100171	Coupling Head, with yellow lid Kupplungskopf, mit gelbem Deckel Housing material: Cast aluminium Connecting Thread: M 16x1,5 Operating mode: Manual Filter type: In-Line filter DIN/ISO 1219	WABCO	952 201 001 0	
		MAN	81.99806.2077	
		DAF	1 518 206	
		SCANIA	1 912 348	
		VOLVO	WA9522010010	
		IVECO	5 0003 7125	
		RVI	50 21 171 515	
		KÄSSBOHRER	2.115.110.310.3	
		KRONE	5058203290	
		SCHMITZ CARGOBULL	051 425 055 594	

Ipart Code	Descriptions / Bezeichnungen	Brand / Hersteller	OEM Number / Vergleichsnummer
100172	Coupling Head, with red lid Kupplungskopf, mit rotem Deckel Housing material: Cast aluminium Connecting Thread: M 16x1,5 Operating pressure to / Betriebsdruck bis [bar]:10 Operating mode: Automatic DIN/ISO 1219	WABCO	952 200 221 0
		MERCEDES-BENZ	000 429 39 30 000 429 61 30 000 429 80 30 000 429 86 30 000 429 96 30
		MAN	81.51220.6010
		NEOPLAN	81.51220.6026 81.51220.6068 81.51220.6094
		DAF	1 504 961 1 930 510 878810
		FORD	92CT-2N070-AA 96HU2B227BA
		IVECO	0251 5298
		DEUTZ	0251 6898 0432 3303 0484 1036
		KÄSSBOHRER	828.528.000.0
		RVI	50 00 442 713 50 00 607 007 77 00 051 791
		SCANIA	1 912 363 0 318 158 2 515 298
		SCHMITZ CARGOBULL	051 404
		VOLVO	11 023 809 20 467 883 318 158
		VOLKSWAGEN	613 607 344 TJ3 607 527
		JOHN DEERE	AL68571
		CASE IH	3 141447 R1



Ipart Code	Descriptions / Bezeichnungen	Brand / Hersteller	OEM Number / Vergleichsnummer
100173	Coupling Head, with yellow lid Kupplungskopf, mit gelbem Deckel Housing material: Cast aluminium Connecting Thread: M 16x1,5 Operating pressure to / Betriebsdruck bis [bar]:10 Operating mode: Automatic DIN/ISO 1219	WABCO	952 200 222 0
		MERCEDES-BENZ	000 429 40 30
			000 429 50 30
			000 429 58 30
			000 429 62 30
			000 429 81 30
			000 429 97 30
		MAN	32.51220.6004
			32.51220.6006
			81.51220.6027
			81.51220.6069
			85.50001.3215
		DAF	0 632 566
			1 519 232
			ACU 8042
		FORD	92CT2N070BA
			96HU2B227AA
		IVECO	252 1367
		DEUTZ	4207 0650
			4208 8852
			471 5225
			432 3302
		KÄSSBOHRER	828.528.100.0
		RVI	50 00 438 153
			50 00 607 008
			77 00 051 792
		SCANIA	1 853 177
			318 159
		SCHMITZ CARGOBULL	051 403
		VOLVO	1 567 994
			1 584 599
			6 888 511
			8 157 984
		VOLKSWAGEN	613 607 343
			TJ3 607 525
		JOHN DEERE	AL68572
		CASE IH	3 401424 R1



Ipart Code	Descriptions / Bezeichnungen	Brand / Hersteller	OEM Number / Vergleichsnummer	
100174	Plastic dust cover / lid, yellow Staubdeckel aus Kunststoff, gelb	WABCO	952 200 652 4	
		MERCEDES-BENZ EVOBUS	000 429 16 90 A000 429 16 90	
		DAF	0 067 640	
		RVI	50 00 803 926	
100175	Plastic dust cover / lid, red Staubdeckel aus Kunststoff, rot	WABCO	952 200 651 4	
		MERCEDES-BENZ EVOBUS	000 429 12 90 A000 429 12 90	
		DAF	0 067 639	
		RVI	50 00 803 925	
100179	Plastic dust cover / lid, black Staubdeckel aus Kunststoff, schwarz	compatible with Wabco kompatibel mit Wabco	452 201 010 0 452 201 010 0	
		compatible with Wabco kompatibel mit Wabco	452 300 031 0 452 300 031 0	
		compatible with Haldex kompatibel mit Haldex	334007001 334007001	
		compatible with Haldex kompatibel mit Haldex	334004001 334004001	
		compatible with Knorr-Bremse kompatibel mit Knorr-Bremse	KU 1200 KU 1200	
		compatible with Knorr-Bremse kompatibel mit Knorr-Bremse	1100(4108) 1100(4108)	
100162	Seal ring, for coupling heads with line filter Dichtring, für Kupplungsköpfe mit LeitungsfILTER Thickness: 9mm Inner Diameter: 19mm Outer Diameter: 41,5mm Outer Diameter (2): 28,5mm Outer Diameter (3): 35,8mm Material: NBR (nitrile butadiene rubber)	WABCO	952 201 920 2 897 550 020 4	
		MERCEDES-BENZ	000 429 03 27 000 429 21 84 000 429 24 84 99.000.360.784	
		MAN	82.96501.0067	
		DAF	0183 604	
		SCANIA	1 935 374	
		RVI	50 21 170 292	

Ipart Code	Descriptions / Bezeichnungen			
100163	Seal ring, for coupling heads w/o line filter Dichtring, für Kupplungsköpfe ohne LeitungsfILTER Thickness: 3,3mm Inner Diameter: 19mm Outer Diameter: 41,5mm Outer Diameter (2): 28,5mm Material: NBR (nitrile butadiene rubber)	WABCO MERCEDES-BENZ MAN DAF SCANIA RVI	897 550 020 4 000 429 03 27 000 429 21 84 000 429 24 84 99.000.360.784 82.96501.0067 0183 604 1 935 374 50 21 170 292	
100178	Repairkit for coupling head, compatible with Wabco Reparatursatz für Kupplungskopf, kompatibel mit Wabco Consisting of: Covers/lids, rubber seal rings (NBR) and screws Bestehend aus: Abdeckungen, Dichtungsgummis (NBR) und Schrauben	WABCO	952 201 920 2 897 550 020 4 76.884-00A	
100177	Quick release coupling Schnellverschlusskupplung Thread size [mm]: M16 x 1,5mm Thread size [mm]: M22 x 1,5mm	with red adapter (Order No. / Best-Nr.: 100177.1) with red adapter (Order No. / Best-Nr.: 100177.2)		
100176	Quick release coupling Schnellverschlusskupplung Thread size [mm]: M16 x 1,5mm Thread size [mm]: M22 x 1,5mm	with yellow adapter (Order No. / Best-Nr.: 100176.1) with yellow adapter (Order No. / Best-Nr.: 100176.2)		

Ipart Code	Descriptions / Bezeichnungen		
109050	Air coil, compressed air Luftwendel, Druckluft Ø I / A [mm]: 5x8mm Material: PU (polyurethane) Colors: Yellow / red / blue	Operating length: 5m (Order No. / Best-Nr.: 109050.1) Operating length: 7,5m (Order No. / Best-Nr.: 109050.2) Operating length: 10m (Order No. / Best-Nr.: 109050.3) Operating length: 15m (Order No. / Best-Nr.: 109050.4)	
109051	Air coil, compressed air Luftwendel, Druckluft Ø I / A [mm]: 6,5x10mm Material: PU (polyurethane) Colors: Yellow / red / blue	Operating length: 5m (Order No. / Best-Nr.: 109051.1) Operating length: 7,5m (Order No. / Best-Nr.: 109051.2) Operating length: 10m (Order No. / Best-Nr.: 109051.3) Operating length: 15m (Order No. / Best-Nr.: 109051.4)	
109052	Air coil, compressed air Luftwendel, Druckluft Ø I / A [mm]: 8x12mm Material: PU (polyurethane) Colors: Yellow / red / blue	Operating length: 5m (Order No. / Best-Nr.: 109052.1) Operating length: 7,5m (Order No. / Best-Nr.: 109052.2) Operating length: 10m (Order No. / Best-Nr.: 109052.3) Operating length: 15m (Order No. / Best-Nr.: 109052.4)	
109053	Air coil, compressed air Luftwendel, Druckluft Ø I / A [mm]: 5x8mm Material: PE (polyethylene) Colors: Yellow / red / blue	Operating length: 5m (Order No. / Best-Nr.: 109053.1) Operating length: 7,5m (Order No. / Best-Nr.: 109053.2) Operating length: 10m (Order No. / Best-Nr.: 109053.3) Operating length: 15m (Order No. / Best-Nr.: 109053.4)	
109054	Air coil, compressed air Luftwendel, Druckluft Ø I / A [mm]: 8x12mm Material: PE (polyethylene) Colors: Yellow / red / blue	Operating length: 5m (Order No. / Best-Nr.: 109054.1) Operating length: 7,5m (Order No. / Best-Nr.: 109054.2) Operating length: 10m (Order No. / Best-Nr.: 109054.3) Operating length: 15m (Order No. / Best-Nr.: 109054.4)	